

QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS



SHEDS & WORKSHOPS

SHOP ONLINE @ BARRSGARDENCENTRES.CO.UK



Standard Apex



Superior Apex



Superior Pent



Standard Pent



Hipex



Cabin



Bentley Supreme Apex



Bentley Supreme Pent



Potting Shed



Combi-Potting Shed



Sunflower



Security Apex



Security Pent



Heavy Duty Apex



Heavy Duty Pent

VISIT OUR SHOW SITES

HEATHHALL GARDEN CENTRE EDINBURGH ROAD DUMFRIES DG1 1SE 01387 263101

WHITESYKE GARDEN CENTRE
BRAMPTON ROAD
LONGTOWN CA6 5TR
01228 792718



VISIT OUR SHOW SITES

DALBEATTIE GARDEN CENTRE
318 HIGH STREET
DALBEATTIE DG5 4DS
01556 612587

BARR'S OF HEATHHALL CATHERINEFIELD ROAD DUMFRIES DG1 3PH 01387 268987





SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS

SHOP ONLINE @ BARRSGARDENCENTRES.CO.UK

CHOOSE YOUR Superior & **DESIGN STYLE** Standard Apex



SUPERIOR APEX STANDARD FEATURES

Fully tongue and grooved construction

Door can be positioned on any side or end wall

Ledged and braced door

Lock and key

Interchangeable panels

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS

Superior Apex Standard Apex



WHEN ORDERING CHOOSE

1. MODEL example: STANDARD APEX

2. DESIGN STYLE example: C

3. SIZE *example:* 10' X 8'

4. HINGED example: LEFT

5. CLADDING example: 18 mm 6. FELT UPGRADE example: YES

7. BEARERS example: YES

If Standard Apex door option B,C or D are chosen then the height of the door is reduced by

5ft-£155

190mm to 1575mm x 762mm.

door position

Stable door £80

4ft-£125

ALL BUILDING REQUIRE A SPIRIT BASED TREATMENT ONCE ASSEMBLED & ANNUALLY THEREAFTER

CIZE	CTANDADD	CTANDADD	CHREDIOD	CHREDIOD	DEADEDS	ACCENADIV
SIZE	STANDARD	STANDARD	SUPERIOR	SUPERIOR	BEARERS	ASSEMBLY
	APEX	APEX	APEX	APEX	PRESSURE	CHARGE
			2 BOARDS	2 BOARDS	TREATED	
			HIGHER	HIGHER		
	FLAT PACK KIT	FLAT PACK KIT	FLAT PACK KIT	FLAT PACK KIT		
	12mm	18mm	12mm	18mm		
	CLADDING	CLADDING	CLADDING	CLADDING		
4' x 4'	513	667	548	712	4 x 4' - 36	245
6' x 4'	554	720	614	798	4 x 4' - 36	245
6' x 5'	614	798	672	874	4 x 5' – 46	245
7' x 5'	655	850	725	942	4 x 5′ – 46	245
6' x 6'	703	914	771	1002	4 x 6′ – 54	245
8' x 6'	730	949	863	1122	4 x 6′ – 54	245
10' x 6'	950	1235	1009	1317	5 x 6' – 68	280
8' x 8'	1060	1378	1163	1511	4 – 8′ – 72	325
10' x 8'	1285	1670	1378	1791	5 x 8′ – 90	340

PLEASE NOTE - ALL BASE WORK IS THE RESPONSIBILITY OF THE CUSTOMER, AS IS THE SAFE SECURING OF THE BUILDING ONCE ASSEMBLED.





SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS


SHOP ONLINE @ BARRSGARDENCENTRES.CO.UK

CHOOSE YOUR DESIGN STYLE



SUPERIOR PENT STANDARD FEATURES

Fully tongue and grooved construction Door can be positioned on any side or end wall Lock and key







Double door upgrade available on certain models depending on door position

4ft-£125 5ft-£155

3" x 2" Framed roof



WHEN ORDERING CHOOSE 1. MODEL example: STANDARD APEX

2. DESIGN STYLE example: C

3. SIZE example: 10' X 8'

4. HINGED example: LEFT

5. CLADDING example: 18 mm

6. FELT UPGRADE example: YES

7. BEARERS example: YES

If Standard Pent door option W, X or Y are chosen then the height of the door will be reduced by 190mm to 1575mm x 762mm.





Standard Pent



ALL BUILDING REQUIRE A SPIRIT BASED TREATMENT ONCE ASSEMBLED & ANNUALLY THEREAFTER

	ALE BOILDING NEW	ZOINE A SI INIT BASI	ED THEATTMENT ON	ALL BOILDING REQUIREMENT STOLES THE METALLINE CONSERVATION OF THE PROPERTY OF					
SIZE	STANDARD	STANDARD	SUPERIOR	SUPERIOR	BEARERS	ASSEMBLY			
	PENT	PENT	PENT	PENT	PRESSURE	CHARGE			
			2 BOARDS	2 BOARDS	TREATED				
			HIGHER	HIGHER					
	FLAT PACK KIT	FLAT PACK KIT	FLAT PACK KIT	FLAT PACK KIT					
	12mm	18mm	12mm	18mm					
	CLADDING	CLADDING	CLADDING	CLADDING					
4' x 4'	555	722	580	764	4x 4' - 36	245			
6' x 4'	622	808	675	878	4 x 4' - 36	245			
6' x 5'	678	882	738	960	4 x 5' – 46	245			
7' x 5'	733	954	798	1038	4 x 5' - 46	245			
6' x 6'	779	1012	862	1120	4 x 6' - 54	245			
8' x 6'	815	1060	899	1176	4 x 6' - 54	245			
10' x 6'	1023	1330	1082	1406	5 x 6' - 68	280			
8' x 8'	1200	1467	1305	1595	4 x 8′ – 72	325			
10' x 8'	1399	1718	1449	1772	5 x 8' - 90	340			





APEX

SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS

SHOP ONLINE @ BARRSGARDENCENTRES.CO.UK

WHEN ORDERING CHOOSE

1. MODEL example: STANDARD APEX

2. DESIGN STYLE example: C

3. SIZE *example:* 10' X 8'


4. HINGED example: LEFT

5. CLADDING example: 18 mm

6. FELT UPGRADE example: YES

7. BEARERS example: YES

Bentley's Supreme Apex and Pent



Double door upgrade available on certain models depending on door position

4ft-£125 5ft-£155

	BENTLEY	BENTLEY
	APEX	APEX
	FLAT DACK KIT	ELAT DACK KIT
	FLAT PACK KIT	FLAT PACK KIT
	12mm	18mm
	CLADDING	CLADDING
4' x 4'	685	890
6' x 4'	752	977
6' x 5'	811	1055
7′ x 5′	863	1122
6' x 6'	910	1183
8' x 6'	1024	1330
10' x 6'	1182	1537
8' x 8'	1338	1731
10' x 8'	1552	2017

BEARERS	ASSEMBLY
PRESSURE	CHARGE
TREATED	
4 x 4' - 36	245
4 x 4' - 36	245
4 x 5' - 46	245
4 x 5' – 46	245
4 x 6' - 54	245
4 x 6' - 54	245
5 x 6' - 68	280
4 x 8' - 72	325
5 x 8' - 90	340

STANDARD FEATURES

Diagonal bracing in the sides
Diagonal bracing in the ends
38mm x 50mm boxed framed door 6'2" High door (available in either end) Standard press lock and key
Zinc plated hinges
3 fixed windows

ALL BUILDING REQUIRE A SPIRIT BASED TREATMENT ONCE ASSEMBLED & ANNUALLY THEREAFTER

PLEASE NOTE – ALL BASE WORK IS THE RESPONSIBILITY OF THE CUSTOMER, AS IS THE SAFE SECURING OF THE BUILDING ONCE ASSEMBLED.



SIZE	BENTLEY PENT	BENTLEY PENT	SECURITY PENT	SECURITY PENT	BEARERS	ASSEMBLY
	FLAT PACK KIT 12mm CLADDING	FLAT PACK KIT 18mm CLADDING	FLAT PACK KIT 12mm CLADDING	FLAT PACK KIT 18mm CLADDING		
4' x 4'	719	935	798	1038	4 x 4' - 36	245
6' x 4'	814	1059	965	1255	4 x 4' - 36	245
6' x 5'	878	1141	978	1272	4 x 5' – 46	245
7' x 5'	936	1217	1048	1362	4 x 5' – 46	245
6' x 6'	986	1282	1134	1474	4 x 6' - 54	245
8' x 6'	1040	1354	1188	1544	4 x 6' - 54	245
10' x 6'	1280	1663	1420	1845	5 x 6' - 68	280
8' x 8'	1445	1878	1668	2169	4 x 8' - 72	325
10' x 8'	1590	2065	1875	2438	5 x 8' - 90	340






SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS

CHOOSE YOUR

DESIGN STYLE

SHOP ONLINE @ BARRSGARDENCENTRES.CO.UK



STANDARD FEATURES

Framing at 1'-300mm intervals throughout the sides for increased strength

38mm x 50mm diagonal bracing in gable ends Galvanised bolted hinges Security bolted padbolt protector Internal glazed security window

Double door upgrade available on certain models depending on door position

4ft-£125 5ft-£155

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS

BEARERS

PRESSURE

DOORS CAN BE HINGED LEFT OR RIGHT

ASSEMBLY

CHARGE

		AI LA	AI LA	TILLUSCHE	CHARGE
				TREATED	
ALL BUILDING REQUIRE		FLAT PACK KIT	FLAT PACK KIT		
A SPIRIT BASED TREATMENT ONCE		12mm	18mm		
ASSEMBLED & ANNUALLY THEREAFTER		CLADDING	CLADDING		
	4' x 4'	722	939	4 x 4' - 36	245
	6' x 4'	866	1126	4 x 4' - 36	245
	6' x 5'	904	1175	4 x 5' – 46	245
WHEN ORDERING CHOOSE	7' x 5'	975	1267	4 x 5' - 46	245
1. MODEL example: STANDARD APEX	6' x 6'	1041	1354	4 x 6' - 54	245
2. DESIGN STYLE example: C	0 7 0				
3. SIZE example: 10' X 8'	8' x 6'	1231	1600	4 x 6' - 54	245
4. HINGED example: LEFT	10' x 6'	1343	1745	5 x 6' - 68	280
5. CLADDING example: 18 mm		1513	1976	4 x 8' - 72	325
6. FFIT UPGRADE example: YES	8' x 8'	1313	1370	770 /2	020

1744

10' x 8'

SECURITY

APEX

SECURITY

APEX

	-			
SIZE	SECURITY	SECURITY		
	PENT	PENT		
	FLAT PACK KIT	FLAT PACK KIT		
	12mm	18mm		
	CLADDING	CLADDING		
4' x 4'	798	1038	4 x 4' - 36	245
6' x 4'	965	1255	4 x 4' - 36	245
6' x 5'	978	1272	4 x 5' – 46	245
7' x 5'	1048	1362	4 x 5' - 46	245
6' x 6'	1134	1474	4 x 6' – 54	245
8' x 6'	1188	1544	4 x 6' - 54	245
10' x 6'	1420	1845	5 x 6' - 68	280
8' x 8'	1668	2169	4 x 8' - 72	325
10' x 8'	1875	2438	5 x 8' - 90	340

7. BEARERS example: YES

PLEASE NOTE - ALL BASE WORK IS THE RESPONSIBILITY OF THE CUSTOMER, AS IS THE SAFE SECURING OF THE BUILDING ONCE ASSEMBLED.








SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS

SHOP ONLINE @ BARRSGARDENCENTRES.CO.UK

CHOOSE YOUR DESIGN STYLE

Heavy Duty Apex and Pent

CHOOSE YOUR DESIGN STYLE



Please note: this model is shown with the 4ft double doors upgrade





DOORS CAN BE HINGED LEFT OR RIGHT



Double door upgrade available on certain models depending on door position

4ft-£125 5ft-£155







50mm x 50mm framing throughout with diagonal bracing Substantial 75mm x 50mm roof truss: (as pictured)

1 up to 15ft

3 up to 20ft

5 up to 30ft

Heavy duty roofing felt Joinery windows

PENT

ALL BUILDING REQUIRE A SPIRIT BASED TREATMENT ONCE ASSEMBLED & ANNUALLY THEREAFTER

SIZE	STANDARD	PREMIER	PRESSURE	ASSEMBLY
	12mm	18mm	TREATED	CHARGE
	CLADDING	CLADDING	BEARERS	
8' x 6'	1170	1465	4 x 5′ – 54.00	240
10′ x 6′	1362	1699	5 x 6' - 68.00	280
8 'x 8'	1399	1770	4 x 8' – 72.00	320
10′ x 8′	1715	2145	5 x 8' - 90.00	340

PLEASE NOTE – ALL BASE WORK IS THE RESPONSIBILITY OF THE CUSTOMER, AS IS THE SAFE SECURING OF THE BUILDING ONCE ASSEMBLED.

Please note: this model is shown with the 4ft double doors upgrade

- 1. MODEL example: STANDARD APEX
- 2. DESIGN STYLE example: C
- **3. SIZE** example: 10' X 8'
- 4. HINGED example: LEFT
- 5. CLADDING example: 18 mm
- 6. FELT UPGRADE example: YES
- 7. BEARERS example: YES






SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS

SHOP ONLINE @ BARRSGARDENCENTRES.CO.UK

IS USED IN WALLS, CEILINGS & FLOORS



STANDARD FEATURES

4ft double doors boarded both sides, 75mm x 50mm fully framed Roof constructed of 75mm x 50mm framing Doors can be positioned on any side or end wall Diagonal bracing to sides and ends (as pictured) Mortice lock and key with antique handles Heavy duty hinges 75mm x 50mm Framed roof truss (as pictured) Joinery windows Untreated workbench (h) 825mm x (w) 1650mm x (d) 635mm (as pictured) Heavy duty felt



ALL BUILDING REQUIRE A SPIRIT BASED TREATMENT ONCE ASSEMBLED & ANNUALLY THEREAFTER

SIZE	STANDARD 12mm	PREMIER 18mm	PRESSURE TREATED	ASSEMBLY CHARGE
	CLADDING	CLADDING	BEARERS	CHARGE
8′ x 6′	1550	2015	4 x 6′ 54.00	240
10' x 6'	1870	2340	5 x 6′ 68.00	280
8' x 8'	1990	2590	4 x 8′ 72.00	320
10' x 8'	2199	2855	5 x 8′ 90.00	340

PLEASE NOTE – ALL BASE WORK IS THE RESPONSIBILITY OF THE CUSTOMER, AS IS THE SAFE SECURING OF THE BUILDING ONCE ASSEMBLED.

- 1. MODEL example: STANDARD APEX
- 2. DESIGN STYLE example: C
- **3. SIZE** *example:* 10′ X 8′
- 4. HINGED example: LEFT
- **5. CLADDING** example: 18 mm
- **6. FELT UPGRADE** *example:* YES
- 7. BEARERS example: YES






QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS

SHOP ONLINE @ BARRSGARDENCENTRES.CO.UK



STANDARD FEATURES

75mm x 50mm Fully framed door Roof constructed of 75mm x 50mm framing Door can be positioned at any side or end wall

Mortice lock and key with antique handles 30" fully framed boxed door and fully boarded both sides

Heavy duty hinges

75mm x 50mm framed roofing truss 3 fixed windows

Heavy duty felt

PENT



ALL BUILDING REQUIRE A SPIRIT BASED TREATMENT ONCE ASSEMBLED & ANNUALLY THEREAFTER

PLEASE NOTE – ALL BASE WORK IS THE RESPONSIBILITY OF THE CUSTOMER, AS IS THE SAFE SECURING OF THE BUILDING ONCE ASSEMBLED.

SIZE	RHINO	RHINO	BEARERS	ASSEMBLY
	12mm	18mm	PRESSURE	CHARGE
	CLADDING	CLADDING	TREATED	
7' x 5'	1170	1520	4 x 5′ – 40.00	240
8' x 6'	1315	1699	4 x 6′ – 44.00	250
10' x 6'	1583	2065	5 x 6′ – 55.00	270
8' x 8'	1780	2299	4' x 8' – 52.00	315
8' x 10'	2025	2625	5 x 8' – 65.00	340

Double door upgrade available on certain models depending on door position

4ft-£125 5ft-£155



SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS

- 1. MODEL example: STANDARD APEX
- 2. DESIGN STYLE example: C
- 3. SIZE example: 10' X 8'
- 4. HINGED example: LEFT
- 5. CLADDING example: 18 mm
 6. FELT UPGRADE example: YES
- 7. BEARERS example: YES




QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS

SHOP ONLINE @ BARRSGARDENCENTRES.CO.UK

The Cabin

DOORS CAN BE HINGED LEFT OR RIGHT



STANDARD FEATURES

Front and side fixed windows Roof overhang 1/305mm Central door Lock and key Fully tongue and groove construction

WHEN ORDERING CHOOSE

1. MODEL example: STANDARD APEX

2. DESIGN STYLE example: C

3. SIZE example: 10' X 8'

4. HINGED example: LEFT

5. CLADDING example: 18 mm

6. FELT UPGRADE example: YES

7. BEARERS example: YES

ALL BUILDING REQUIRE A SPIRIT BASED TREATMENT ONCE ASSEMBLED & ANNUALLY THEREAFTER

SIZE	12mm	18mm	BEARERS	ASSEMBLY
	CLADDING	CLADDING	PRESSURE	CHARGE
			TREATED	
CABIN				
5' x 7'	850	1110	4 x 5′ – 40.00	240
6' x 6'	850	1110	4 x 6′ – 44.00	240
6' x 8'	975	1275	4 x 6' - 44.00	240
8' x 8'	1175	1525	4 x 8' - 52.00	290
10' x 8'	1375	1775	5 x 8' - 65.00	290

PLEASE NOTE – ALL BASE WORK IS THE RESPONSIBILITY OF THE CUSTOMER, AS IS THE SAFE SECURING OF THE BUILDING ONCE ASSEMBLED.






SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS

SHOP ONLINE @ BARRSGARDENCENTRES.CO.UK

Potting Shed





WHEN ORDERING CHOOSE

1. MODEL example: STANDARD APEX

2. DESIGN STYLE example: A

3. SIZE *example:* 10' X 8'

4. HINGED example: LEFT

5. CLADDING example: 18 mm





STANDARD FEATURES

3"x 2" Framed roof Full length slatted staging under window Stable door Opening window in one end Lock and key

Windows 6' - 1530 x 1200mm 8' - 2160mm x 1200mm 10' - 2750mm x 1200mm Framing 38mm x 50mm Cladding 16mm x 125mm

ALL BUILDING REQUIRE A SPIRIT BASED TREATMENT ONCE ASSEMBLED & ANNUALLY THEREAFTER

SIZE	12mm CLADDING	18mm CLADDING	BEARERS PRESSURE	ASSEMBLY CHARGE
5' x 7'	1170	1525	4 x 5′ – 40.00	340
6' x 6'	1199	1560	4 x 6' – 44.00	340
8' x 6'	1280	1665	4 x 6' – 44.00	340
8' x 8'	1670	2175	4 x 8′ – 52.00	360
10' x 6'	1499	1950	5 x 6' - 55.00	360
10 'x 8'	1865	2425	5 x 8' - 65.00	380






SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS

SHOP ONLINE @ BARRSGARDENCENTRES.CO.UK

Sunflower







WHEN ORDERING CHOOSE

1. MODEL example: STANDARD APEX

2. DESIGN STYLE example: A

3. SIZE example: 10' X 8'

4. HINGED example: LEFT

5. CLADDING example: 18 mm

6. FELT UPGRADE example: YES

7. BEARERS example: YES

STANDARD FEATURES

3" x 2" Framed roof
Full length slatted staging
under window
Full height windows
returning at both ends
Two joinery opening
windows Lock and Key

SPECIFICATION

Sizes from: 1.83m x 1.83m (6' x 6') to 3.05m x 2.44m (10' x 8') Eaves height 73" / 1860mm Ridge height 81" / 2057mm

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS

TREATMENT ONCE ASSEMBLED & ANNUALLY THEREAFTER

PLEASE NOTE – ALL BASE WORK IS THE RESPONSIBILITY OF TI

PLEASE NOTE – ALL BASE WORK IS THE RESPONSIBILITY OF THE CUSTOMER, AS IS THE SAFE SECURING OF THE BUILDING ONCE ASSEMBLED.

SIZE	SIZE 12mm 18r		BEARERS	ASSEMBLY
	CLADDING	CLADDING	PRESSURE	CHARGE
			TREATED	
SUNFLOWER				
5'x 7'	1025	1335	4 x 5′ – 40.00	330
6' x 6'	1038	1349	4 x 6' – 44.00	330
8' x 6'	1150	1495	4 x 6' – 44.00	330
8' x 8'	1530	1990	4 x 8' - 52.00	350
10' x 6'	1375	1785	5 x 6' - 55.00	350
10' x 8'	1730	2250	5 x 8' - 65.00	350



QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS

SHOP ONLINE @ BARRSGARDENCENTRES.CO.UK



SUMMER HOUSES



Summer Cabin



Althorpe



Ascot



Balmoral



Chatsworth



Buckingham



Windsor



Kensington



Wentworth



Sunningdale



Corner Summer House Georgian



Corner Summer House Leaded



Pavilion



Pent Summer House

VISIT OUR SHOW SITES

HEATHHALL GARDEN CENTRE EDINBURGH ROAD DUMFRIES DG1 1SE 01387 263101

WHITESYKE GARDEN CENTRE
BRAMPTON ROAD
LONGTOWN CA6 5TR
01228 792718



VISIT OUR SHOW SITES

DALBEATTIE GARDEN CENTRE
318 HIGH STREET
DALBEATTIE DG5 4DS
01556 612587

BARR'S OF HEATHHALL CATHERINEFIELD ROAD DUMFRIES DG1 3PH 01387 268987





SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS

SHOP ONLINE @ BARRSGARDENCENTRES.CO.UK



SIZE	FLAT PACK KIT	FLAT PACK KIT	BEARERS PRESSURE	ASSEMBLY
8' GABLE	12mm	18mm	TREATED	CHARGE
	CLADDING	CLADDING		
5′ x 8′	1550	1999	4 x 5′ – 54.00	360
6' x 8'	1599	2100	4 x 6′ – 68.00	360
8′ x 8′	1935	2499	99 4 x 8' – 72.00	
10′ x 8′	2145	2738	5 x 8′ – 90.00	410

STANDARD FEATURES

AS IS THE SAFE SECURING OF THE BUILDING ONCE ASSEMBLED.

Fully glazed plain glass double doors with antique hinges, ornate handle and lever lock 2 front fixed plain full length windows 2 side fixed plain full length windows Roof overhang 1' / 305mm Door drip Profiled fascia boards


ALL BUILDING REQUIRE
A SPIRIT BASED
TREATMENT
ONCE ASSEMBLED
& ANNUALLY
THEREAFTER



QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS

SHOP ONLINE @ BARRSGARDENCENTRES.CO.UK



WHEN ORDERING CHOOSE

1. MODEL example: STANDARD APEX

2. DESIGN STYLE example: A

3. SIZE example: 10' X 8'

4. HINGED example: LEFT

5. CLADDING example: 18 mm

6. FELT UPGRADE example: YES

7. BEARERS example: YES

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS

IS THE RESPONSIBILITY OF THE CUSTOMER, AS IS THE SAFE SECURING OF THE BUILDING ONCE ASSEMBLED.

SIZE 8' GABLES	FLAT PACK KIT 12mm CLADDING	FLAT PACK KIT 18mm CLADDING	BEARERS PRESSURE TREATED	ASSEMBLY CHARGE
5' x 8'	1299	1699	4 x 5' - 54.00	350
6′ x 8′	1385	1799	4 x 6′ – 68.00	350
8' x 8'	1575	2050	4 x 8′ – 72.00	370
10′ x 8′	1899	2450	5 x 8′ – 90.00	400

STANDARD FEATURES

Half glazed joinery doors, with antique hinges, ornate handle and lever lock 4 front fixed windows Roof overhang 1' / 305mm Profiled fascia boards Door drip

EXTRA 2' 6" VERANDA

-£340.00

EXTRA 4' VERANDA

-£540.00


ALL BUILDING REQUIRE A SPIRIT BASED TREATMENT ONCE ASSEMBLED & ANNUALLY THEREAFTER





SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS

SHOP ONLINE @ BARRSGARDENCENTRES.CO.UK



STANDARD FEATURES

Fully glazed Georgian double doors with antique hinges, ornate handle and lever lock 2 front fixed Georgian windows, if building is a 10ft front the 2 fixed windows become opening windows as standard 2 top hung opening Georgian side windows Roof overhang 1' / 305mm Door drip Profiled fascia boards

EXTRA 2' 6" VERANDA - £340.00 EXTRA 4' VERANDA

- £540.00 +

SIZE	FLAT PACK KIT	FLAT PACK KIT	BEARERS	ASSEMBLY
8' GABLES	12mm	18mm	PRESSURE TREATED	CHARGE
	CLADDING	CLADDING		
5′ x 8′	5' x 8' 1730		4 x 5′ – 54.00	385
6' x 8'	1785	2299	4 x 6′ – 68.00	390
8' x 8'	2099	2730	4 x 8′ – 72.00	405
10′ x 8′	2299	2999	5 x 8' – 90.00	410

WHEN ORDERING CHOOSE

1. MODEL example: STANDARD APEX

2. DESIGN STYLE example: A

3. SIZE example: 10' X 8'

4. HINGED example: LEFT

5. CLADDING example: 18 mm

6. FELT UPGRADE example: YES

7. BEARERS example: YES

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS

ALL BUILDING REQUIRE
A SPIRIT BASED
TREATMENT ONCE
ASSEMBLED &
ANNUALLY THEREAFTER

PLEASE NOTE – ALL BASE WORK IS THE RESPONSIBILITY OF THE CUSTOMER, AS IS THE SAFE SECURING OF THE BUILDING ONCE ASSEMBLED.





SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS

SHOP ONLINE @ BARRSGARDENCENTRES.CO.UK

Buckingham

WHEN ORDERING CHOOSE

1. MODEL example: STANDARD APEX

2. DESIGN STYLE example: A

3. SIZE example: 10' X 8'

4. HINGED example: LEFT

5. CLADDING example: 18 mm

6. FELT UPGRADE example: YES

7. BEARERS example: YES

ALL BUILDING REQUIRE A
SPIRIT BASED TREATMENT
ONCE ASSEMBLED &
ANNUALLY THEREAFTER



STANDARD FEATURES

Fully glazed Georgian door with antique hinges, ornate handle and lever lock Georgian bay window 1 Georgian top

1 Georgian top hung opening side window Roof overhang 1' / 305mm Profiled

fascias Door drip

SIZE	FLAT PACK KIT	FLAT PACK KIT	BEARERS	ASSEMBLY
8' GABLES	12mm	18mm	PRESSURE	CHARGE
	CLADDING	CLADDING	TREATED	
5′ X 8′	1625	2110	4' x 5' £54.00	370
6′ X 8′	1685	2190	4 x 6′ £68.00	375
8' X 8'	2015	2615	4 x 8′ £72.00	405
10′ X 8′	2225 2895 5 X 8' £90.00			415

<u>VERANDAS</u>

EXTRA 2' 6" VERANDA £340.00

EXTRA 4' VERANDA £540.00

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS

PLEASE NOTE – ALL BASE WORK IS THE RESPONSIBILITY OF THE CUSTOMER, AS IS THE SAFE SECURING OF THE BUILDING ONCE ASSEMBLED.




QUALITY BUILT TO LAST


SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS

SHOP ONLINE @ BARRSGARDENCENTRES.CO.UK

Corner Summerhouse Georgian









CORDER ONLINE

WHEN ORDERING CHOOSE

1. MODEL example: STANDARD APEX

2. DESIGN STYLE example: A

3. SIZE *example:* 10′ X 8′

4. HINGED example: LEFT

5. CLADDING example: 18 mm

6. FELT UPGRADE example: YES

7. BEARERS example: YES

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS

STANDARD FEATURES

Fully glazed Georgian double doors with antique hinges, ornate handle and lever lock

2 Georgian top opening side windows Door drip

PLEASE NOTE –
ALL BASE WORK IS THE
RESPONSIBILITY OF
THE CUSTOMER,
AS IS THE SAFE
SECURING OF THE
BUILDING ONCE
ASSEMBLED.

ALL BUILDING
REQUIRE
A SPIRIT BASED
TREATMENT ONCE
ASSEMBLED &
ANNUALLY
THEREAFTER

SIZE	FLAT PACK 12mm CLADDING	FLAT PACK 18mm CLADDING	BEARERS PRESSURE TREATED	ASSEMBLY CHARGE
6′ X 6′	1750	2275	KIT 3 x6' 3 x5' £75.00	390
7′ X 7′	1955	2540	KIT 3 x 7' 2 x 6' 1 x 5' £89.00	415
8′ X 8′ 2385		2899	KIT 3 x 8' 1 x 7' 1 x 6' 1 x 5' £95.00	440





SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS

SHOP ONLINE @ BARRSGARDENCENTRES.CO.UK

COLOURED TILE OPTIONS












GREEN

ALL BUILDING REQUIRE A SPIRIT BASED **TREATMENT ONCE ASSEMBLED** & ANNUALLY **THEREAFTER**



SIZE	FLAT PACK KIT 12mm CLADDING	FLAT PACK KIT 18mm CLADDING	BEARERS PRESSURE TREATED	ASSEMBLY CHARGE
8' x 6'	8' x 6'		4 x 6′ – 54.00	390
8′ x 8′	2575	3325	4 x 8′ – 68.00	410
10′ x 6′	2345	2999	5 x 6′ – 72.00	410
10′ x 8′	2599	3399	5 x 8′ – 90.00	410

antique hinges, ornate handle and lever lock

- 2 Georgian top hung 12 pane, opening side windows
- 2 front fixed Georgian windows

The front roof canopy is 485mm wide and tiled in red, green, black or slate tiles. The roof is felted with green roofing felt.

Profiled fascia boards

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, **CEILINGS & FLOORS**

WHEN ORDERING CHOOSE

- 1. MODEL example: STANDARD APEX
- 2. DESIGN STYLE example: A
- **3. SIZE** example: 10' X 8'
- 4. HINGED example: LEFT
- **5. CLADDING** example: 18 mm
- **6. FELT UPGRADE** example: YES
- 7. BEARERS example: YES

PLEASE NOTE - ALL BASE WORK IS THE RESPONSIBILITY OF THE CUSTOMER, AS IS THE SAFE SECURING OF THE BUILDING ONCE ASSEMBLED.



THEREAFTER



SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS

SHOP ONLINE @ BARRSGARDENCENTRES.CO.UK

Pent Summerhouse



STANDARD FEATURES

Fully glazed Georgian double doors with antique hinges, ornate handle and lever lock 2 Georgian fixed front windows 2 Georgian 9 pane opening side windows Profiled fascias Door drip

WHEN ORDERING CHOOSE

1. MODEL example: STANDARD APEX

2. DESIGN STYLE example: A

3. SIZE *example:* 10′ X 8′

4. HINGED example: LEFT

5. CLADDING example: 18 mm

6. FELT UPGRADE *example:* YES

7. BEARERS example: YES

SIZE	FLAT PACK KIT	FLAT PACK KIT	BEARERS	ASSEMBLY
	12mm CLADDING	18mm CLADDING	PRESSURE	CHARGE
			TREATED	
8′ x 6′	1899	2468 4 x 6' – 54.0		375
10' x 6'	2170	2820	5 x 6' – 68.00	375
8′ x 8	2225	2895	4 x 8′ – 72.00	415
10′ x 8′	2465	3199	5 x 8' – 90.00	440



CEILINGS & FLOORS



QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS

SHOP ONLINE @ BARRSGARDENCENTRES.CO.UK



SIZE	FLAT PACK KIT	FLAT PACK KIT	BEARERS	ASSEMBLY
	12mm	18mm	PRESSURE	CHARGE
	CLADDING	CLADDING	TREATED	
8' x 6'	1599	2075	4 x 6' – 54.00	360
10' x 6'	1985	2585	5 x 6' - 68.00	360
8' x 8'	2050	2650	4 x 8' – 72.00	400
10′ x 8′	2375 2999 5 x 8' - 90.00		5 x 8′ – 90.00	420

PLEASE NOTE – ALL BASE WORK IS THE RESPONSIBILITY OF THE CUSTOMER, AS IS THE SAFE SECURING OF THE BUILDING ONCE ASSEMBLED.

STANDARD FEATURES

2 Fixed front windows
4 Fixed side
windows
Double
doors
Toughened glass
throughout Antique
style ironmongery
1ft (305mm)
overhang on the
pent roof
Plain fascia board
Standard mineral felt

- 1. MODEL example: STANDARD APEX
- 2. DESIGN STYLE example: A
- 3. SIZE example: 10' X 8'
- 4. HINGED example: LEFT
- 5. CLADDING example: 18 mm
- 6. FELT UPGRADE example: YES
- 7. BEARERS example: YES





SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS

SHOP ONLINE @ BARRSGARDENCENTRES.CO.UK



STORAGE & KENNELS



Garden Store



Garden Tidy



Garden Chest



Wheelie Bin Store



Dog Kennel



Animal Arc



Delux Apex Kennel & Run



Pent Kennel & Run



Hen House



Traditional Dutch barn

VISIT OUR SHOW SITES

HEATHHALL GARDEN CENTRE EDINBURGH ROAD DUMFRIES DG1 1SE 01387 263101

WHITESYKE GARDEN CENTRE
BRAMPTON ROAD
LONGTOWN CA6 5TR
01228 792718



VISIT OUR SHOW SITES

DALBEATTIE GARDEN CENTRE
318 HIGH STREET
DALBEATTIE DG5 4DS
01556 612587

BARR'S OF HEATHHALL CATHERINEFIELD ROAD DUMFRIES DG1 3PH 01387 268987



SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS

SHOP ONLINE @ BARRSGARDENCENTRES.CO.UK



STANDARD FEATURES

Fully framed & braced 5ft barn style double doors Door knob handle Rim lock & key One fixed window above door Galvanised hinges 16mm x 125mm shiplap cladding 50mm x 50mm framing 1 internal shelf 33" wide Green mineral felt (not shown in picture)

18' x 18" toughened glass



internal roof and shelf

This model is shown with the coloured felt tiles

SIZE`	BARN 12mm CLADDING	BARN 18mm CLADDING	FELT	BEARERS PRESSURE TREATED	ASSEMBLY CHARGE
8′ X 6′	1540	1999	STANDARD	4 x 6' – 44.00	340
10' X 6'	1699	2220	STANDARD	5 x 6' – 55.00	340
8′ X 8′	2030	2635	STANDARD	4 x 8' – 52.00	365
10′ X 8′	2199	2875	STANDARD	5 x 8' – 65.00	385

ALL **BUILDING REQUIRE A SPIRIT BASED** TREATMENT ONCE **ASSEMBLED & ANNUALLY THEREAFTER**

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, **CEILINGS & FLOORS**

WHEN ORDERING CHOOSE

- 1. MODEL example: STANDARD APEX
- 2. DESIGN STYLE example: A
- 3. SIZE example: 10' X 8'
- 4. HINGED example: LEFT
- **5. CLADDING** *example:* 18 mm
- **6. FELT UPGRADE** example: YES 7. BEARERS example: YES

PLEASE NOTE - ALL BASE WORK IS THE RESPONSIBILITY OF THE CUSTOMER, AS IS THE SAFE SECURING OF THE BUILDING ONCE ASSEMBLED.





SHOP ONLINE @ BARRSGARDENCENTRES.CO.UK

Garden Store



STANDARD FEATURES

2' 6" Door Fully tongue and groove construction Door position on any side or end wall Lock and key Ledged and brace door

SPECIFICATION

Size:1.52m x 915mm (5'x3') Eaves height 1610mm Ridge height 1710mm Door 1460mm x 762mm Framing 38mm x 50mm Cladding 16mm x 125mm

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS

ASSEMBLY CHARGE

5' x 3'

GARDEN STORE

420

150

Garden Tidy



STANDARD FEATURES

4' double door
Fully tongue and groove construction
Lock and key
Ledged and brace doors
Roof can slope either way

SPECIFICATION

Size: 1.83m x 762mm (6' x 2'6") Eaves height 1610mm Ridge height 1710mm Double doors 1460mm x 1320mm Framing 38mm x 50mm Cladding 16mm x 125mm

ALL BUILDING REQUIRE A SPIRIT BASED TREATMENT ONCE ASSEMBLED & ANNUALLY THEREAFTER

ASSEMBLY
CHARGE

6' x 2'6"

GARDEN TIDY

445

150



SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS

SHOP ONLINE @ BARRSGARDENCENTRES.CO.UK

Garden Chest



STANDARD FEATURES

Hinged lid with hasp and staple Sliding internal storage shelf

SPECIFICATION

Size: 1.52m x 610mm (5' x 2') Eaves height 710mm Ridge height 802mm Framing 38mm x 50mm Cladding 16mm x 125mm Tanalised Timber

OPTIONS AVAILABLE

22mm Premier cladding 22mm floor boards Tanalised Timber

Loglap Cladding Felt options

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS

ASSEMBLY CHARGE

5' x 2'

GARDEN CHEST

350

150

Wheelie Bin Store

SINGLE & DOUBLE



STANDARD FEATURES

Tower bolt fitted to each door Roof can slope either way Slatted doors to allow for ventilation No floor

SPECIFICATION

Size: 2134mm x 915mm (7' x 3') Eaves height 1555mm Ridge height 1655mm Slated Double Doors 1550mm x 937mm (x2) Framing 38mm x 50mm Cladding 16mm x 125mm (to sides and back) Tower bolt fitted to each door

ALL BUILDING REQUIRE A SPIRIT BASED
TREATMENT ONCE ASSEMBLED & ANNUALLY THEREAFTER

ASSEMBLY CHARGE

7′ x 3′	WHEELIE BIN STORE	515	150
	SINGLE WHEELIE BIN STORE	260	150



QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS

SHOP ONLINE @ BARRSGARDENCENTRES.CO.UK



SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, **CEILINGS & FLOORS**

> **ASSEMBLY CHARGE**

3' x 2'	DOG KENNEL	185	130
4' x 3'	DOG KENNEL	225	130
4' x 4'	DOG KENNEL	255	130

Deluxe Apex Kennel

STANDARD FEATURES

4' x 6' kennel unit with floor and access door with closing bob hole

6' x 6' run with 50mm x 50mm

Galvanised weldmesh on

50mm x 50mm framing, with front

Access door

Run designed with bottom drainage for easy cleaning

SPECIFICATION

Size: 3.05m x 1.83m (10' x 6') Eaves height kennel 1780mm

Eaves height run 1832mm

Ridge height kennel 2250mm Ridge height run 2305mm Door in run 1757mm x 600mm Door in kennel 1765mm x

604mm Framing 50mm x 50mm

Cladding 16mm x 125mm

ASSEMBLY CHARGE

8' x 6'	DELUXE APEX KENNEL	1115	385
10' x 6'	DELUX APEX KENNEL	1245	385



QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS

SHOP ONLINE @ BARRSGARDENCENTRES.CO.UK

Pent Kennel & Run



STANDARD FEATURES

4' x 4' kennel with floor, front door and side with tower bolt

Dog access hole

Run made from 50mm x 50mm galvanised heavy duty wire mesh, on 50mm x 50mm framing,

Door with tower bolt

SPECIFICATION

Sizes: $3.05m \times 1.22m (10' \times 4')$ and $3.66m \times 1.22m (12' \times 4')$

Eaves height 1433mm Ridge height 1610mm Doors 1455mm


x 596mm

Framing kennel 38mm x 50mm Framing run 38mm x 50mm and 50mm x 50mm

ASSEMBLY

Cladding 16mm x 125mm

4′	PENT KENNEL & 8' RUN	999	290
4′	PENT KENNEL & 6' RUN	925	290
4′	PENT KENNEL & 4' RUN	875	290
			CHARGE



SOLID TONGUE &
GROOVED TIMBER
IS USED IN WALLS,
CEILINGS & FLOORS

STANDARD FEATURES

3' X 6' Hen house with raised floor and single door. Separate closing hen access door and ramp

3' x 6' run with 13mm x 13mm Galvanised weldmesh, and meshed door

SPECIFICATION

Size: 1.83m x 1.83m (6' x 6')
Eaves height 69¹/₄" / 1760mm Ridge height 87³/₄" / 2230mm Meshed door 610mm x 1760mm Single door in Hen house 1460mm x 915mm
Hen house access door 485mm x 380mm
Ramp 315 x 750
Framing 50mm x 50mm
Cladding 16mm x 125mm

ASSEMBLY

8' x 6'	HEN HOUSE	980	335.00
	HEN HOUSE NESTING BOX	280	75.00



SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS

SHOP ONLINE @ BARRSGARDENCENTRES.CO.UK



CHILDREN'S PLAYHOUSES



Toddlers Retreat



My Little Den



Ladybird Cottage



Snowdrop Cottage



Escape



Wilton Lodge



Candy Cabin



The Hideaway



Charleys Castle



Kids Club House

VISIT OUR SHOW SITES

HEATHHALL GARDEN CENTRE EDINBURGH ROAD DUMFRIES DG1 1SE 01387 263101

WHITESYKE GARDEN CENTRE
BRAMPTON ROAD
LONGTOWN CA6 5TR
01228 792718



VISIT OUR SHOW SITES

DALBEATTIE GARDEN CENTRE
318 HIGH STREET
DALBEATTIE DG5 4DS
01556 612587

BARR'S OF HEATHHALL CATHERINEFIELD ROAD DUMFRIES DG1 3PH 01387 268987



SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS

SHOP ONLINE @ BARRSGARDENCENTRES.CO.UK



STANDARD FEATURES

Two side
windows with
acrylic Door
window
Square acrylic
Profiled
fascias
Antique door
handle and hinges
with adjustable
door catch

SPECIFICATION

Size: 4' X 4' $(1.2m \times 1.2m)$ Eaves height 421/4" (1074mm) Ridge height 541/2" (1384mm) Door 1074mm x 596mm Side windows 457mm x 457mm Door window 305mm x 305mm Framing 38mm x 50mm Cladding 16mm x 125mm

WHEN ORDERING CHOOSE

1. MODEL example: STANDARD APEX

2. DESIGN STYLE example: A

3. SIZE example: 10' X 8'

4. HINGED example: LEFT

5. CLADDING example: 18 mm

6. FELT UPGRADE *example:* YES

7. BEARERS example: YES

ALL
BUILDING
REQUIRE A
SPIRIT BASED
TREATMENT ONCE
ASSEMBLED & ANNUALLY
THEREAFTER

SOLID TONGUE &
GROOVED TIMBER
IS USED IN WALLS,
CEILINGS & FLOORS


TODDLERS RETREAT	4' x 4'	365	One size only	4 x 4' – 26.00





SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS

SHOP ONLINE @ BARRSGARDENCENTRES.CO.UK



STANDARD FEATURES

Door with diamond window, antique hinges and handle with adjustable door catch 2 acrylic Georgian windows Roof overhang 1' / 305mm Profiled fascias SPECIFICATION

Sizes from: 1.22m x

1.83m (4' x 6') to

2.44m x 1.83m (8' x 6')

Eaves ht. 51" / 1318mm

Ridge ht. 73" /

1850mm

Door 1282mm x

596mm

Windows 457mm x

457mm

Framing 38mm x

50mm

Cladding 16mm \boldsymbol{x}

125mm

SUPPLIED FLAT PACKED ONLY

REQUIRE A
SPIRIT BASED
TREATMENT ONCE
ASSEMBLED & ANNUALLY
THEREAFTER

WHEN ORDERING CHOOSE

1. MODEL example: STANDARD APEX

2. DESIGN STYLE example: A

3. SIZE example: 10' X 8'

4. HINGED example: LEFT

5. CLADDING *example:* 18 mm

6. FELT UPGRADE example: YES

7. BEARERS example: YES


MY LITTLE DEN	4' x 6'	650	No Veranda	4 x 4′ – 26.00
MY LITTLE DEN	6' x 6'	835	Inc Veranda	4 x 6' – 44.00
MY LITTLE DEN	6' x 6'	835	No Veranda	4 x 6′ – 44.00
MY LITTLE DEN	4' x 8'	835	No Veranda	4 x 4′ – 26.00
MY LITTLE DEN	6' x 8'	999	Inc Veranda	6 x 8′ – 44.00
MY LITTLE DEN	6' x 8'	999	No Veranda	6 x 8' – 44.00





SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS

SHOP ONLINE @ BARRSGARDENCENTRES.CO.UK



STANDARD FEATURES

Georgian joinery door with antique hinges and handle, with adjustable door catch

4 acrylic Georgian windows Roof overhang 1' / 305mm Profiled fascia boards

SPECIFICATION

Sizes from: 1.52m x 2.13m (5' x 7') to 2.74m x 2.13m (7' x 7')

Eaves ht. 49" / 1255mm Ridge ht. 70" / 1790mm Door 1180mm x 535mm Windows 457mm x 457mm Framing 38mm x 50mmCladding 16mm x 125mm

ALL
BUILDING
REQUIRE A
SPIRIT BASED
TREATMENT ONCE
ASSEMBLED & ANNUALLY
THEREAFTER

SOLID TONGUE &
GROOVED TIMBER
IS USED IN WALLS,
CEILINGS & FLOORS

LADYBIRD COTTAGE	5' x 7'	959	No Veranda	4 x 5′ – 40.00
LADYBIRD COTTAGE	7' x 7'	1135	Inc Veranda	4 x 7' – 44.00
LADYBIRD COTTAGE	9' x 7'	1275	Inc Veranda	5 x 7' – 55.00





SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS

SHOP ONLINE @ BARRSGARDENCENTRES.CO.UK

Snowdrop Cottage

CE



STANDARD FEATURES

Antique hinges and handle with adjustable door catch
4 acrylic Georgian windows Georgian joinery door with antique hinges and handle with adjustable door catch Chimney pot Hip roof
Profiled fascia boards

SPECIFICATION

Sizes: 1.83m x 1.22m (6' x 4') and 2.13m x 1.52m (7' x 5') Eaves height 51" / 1318mm Ridge height 4' - 63" / 1615mm

5' - 70" / 1790mm Door 1180mm x 535mm Windows 457mm x 457mm Framing 38mm x 50mm Cladding 16mm x 125mm

SOLID TONGUE &
GROOVED TIMBER
IS USED IN WALLS,
CEILINGS & FLOORS

ALL
BUILDING
REQUIRE A
SPIRIT BASED
TREATMENT ONCE
ASSEMBLED & ANNUALLY
THEREAFTER


SNOWDROP COTTAGE	6' x 4'	750	No Veranda	4 x 4' – 26.00
SNOWDROP COTTAGE	7' x 5'	899	No Veranda	4 x 5′ – 40.00



QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS

SHOP ONLINE @ BARRSGARDENCENTRES.CO.UK



STANDARD FEATURES

Full size door with 10" diamond window, antique hinges and handle Internal bunk bed with safety rail, ladder and hand rail (as pictured)

1 Acrylic Georgian window

1 Window box Profiled fascias

SPECIFICATION

Size 2.44m x 1.83m (8' x 6') Eaves height 1964mm / 77" Ridge height 2436 / 96" Door 1765mm x 762mm Window 457mm x 457mm Framing 38mm x 50mm Cladding 16mm x 125mm

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS

CORDER ONLINE

ALL
BUILDING
REQUIRE A
SPIRIT BASED
TREATMENT ONCE
ASSEMBLED & ANNUALLY
THEREAFTER

THE ESCAPE	8' x 6'	1375	One size only	6 x 8' – 44.00





SOLID TONGUE & GROOVED TIMBER
IS USED IN WALLS, CEILINGS & FLOORS

SHOP ONLINE @ BARRSGARDENCENTRES.CO.UK

Wilton Lodge



STANDARD FEATURES

Door with diamond window, antique hinges and handle, with adjustable catch
3 acrylic Georgian windows with large window box
Roof overhang 1' / 305mm
Internal bunk bed with safety rail, ladder and hand rail (as

Profiled fascias

pictured)

SPECIFICATION

Sizes from: 1.52m x 2.13m (5' x 7') to 2.74m x 2.13m (9' x 7') Eaves height 56" / 1435mm to 70" / 1785mm
Ridge height 93" / 2350mm

Door 1410mm x 596mm Windows 457mm x 457mm Framing 38mm x 50mm Cladding 16mm x 125mm

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS

ALL
BUILDING
REQUIRE A
SPIRIT BASED
TREATMENT ONCE
ASSEMBLED & ANNUALLY
THEREAFTER


THE WILTON LODGE	5' x 7'	1250	No Veranda	4 x 5′ – 40.00
THE WILTON LODGE	7' x 7'	1450	Inc Veranda	4 x 7′ – 44.00
THE WILTON LODGE	7′ x 7′	1450	No Veranda	4 x 7′ – 44.00
THE WILTON LODGE	9' x 7'	1665	Inc Veranda	5 x 7′ – 55.00



QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS

SHOP ONLINE @ BARRSGARDENCENTRES.CO.UK



STANDARD FEATURES


Stable door diamond in the top hinges Antique and handle with adjustable closing catch 2 acrylic Georgian windows 1 window box Internal bunk bed with safety rail, ladder with hand rail (as pictured) Profiled fascias Roof overhang 1' / 305mm

SPECIFICATION

sizes: 1.83m 2.44m (6' x 8') and 2.44m x 2.44m (8' x 8') Eaves height 56" / 1435mm to 70" / 1785mm Ridge height 93" / 2360mm Stable door: Top 678mm x 596mm Bottom 730mm x 596mm Windows 457mm x 457mm Framing 38mm x 50mm Cladding 16mm x 125mm

ALL
BUILDING
REQUIRE A
SPIRIT BASED
TREATMENT ONCE
ASSEMBLED & ANNUALLY
THEREAFTER

SOLID TONGUE &
GROOVED TIMBER
IS USED IN WALLS,
CEILINGS & FLOORS





QUALITY BUILT TO LAST

SOLID TONGUE & GROOVED TIMBER IS USED IN WALLS, CEILINGS & FLOORS

SHOP ONLINE @ BARRSGARDENCENTRES.CO.UK

The Hideaway



STANDARD

Single and double garage doors with diamond windows, complete with antique hinges and handles 2 acrylic Georgian windows 2 window boxes Internal bunk bed with safety rail, ladder and hand rail (as pictured) Profiled fascias Roof overhang 1' / 305mm

SPECIFICATION

sizes: 1.52m x 3.05m (5' x 10') and 1.83m x 3.05m (6' x 10') Eaves height 56" / 1435mm to 70" / 1785mm Ridge height 96" / 2430mm Single door 1410mm x 596mm



ALL
BUILDING
REQUIRE A
SPIRIT BASED
TREATMENT ONCE
ASSEMBLED & ANNUALLY
THEREAFTER

Double door 1042mm x 1158mm Windows 457mm x 457mm Framing 38mm x 50mm Cladding 16mm x 125mm

SOLID TONGUE &
GROOVED TIMBER
IS USED IN WALLS,
CEILINGS & FLOORS

THE HIDEAWAY	5' x 10'	1665	No Veranda	5 x 5′ – 45.00
THE HIDEAWAY	6' x 10'	1855	No Veranda	5 x 6' – 55.00